


ISOLDE AP108ix Precision. Versatility. Power.



Short throw



90° x 60°



55Hz to 20kHz

Isolde AP108ix is a powerful, passive, compact point source loudspeaker, optimized for fixed installation scenarios. A premium 8" LF transducer incorporating Tetracoil technology ensures best-in-class SPL and massive headroom. The chosen neodymium magnet 1.4" exit throat / 2.4" voice coil HF transducer is from the same family as the drivers employed in our flagship series, sharing the same acclaimed intelligibility and audio signature across the range.

As a 2-way loudspeaker, Isolde outshines rival coax designs with superior control and directivity. This precision is augmented by a custom engineered, 3D printed horn concept, enforcing rigid control over the speaker's coverage pattern.

The ability to quickly rotate the horn through 90°, coupled with its unique cabinet shape, allows AP108ix to do double duty as a compact wedge monitor. Wall and ceiling mounting options underline Isolde AP108ix's readiness to perform wherever high SPL is needed in a small package.

Isolde AP108ix is made in Belgium using birch plywood for peerless rigidity and audio transparency.

Technical specifications

Description	2 way passive point source installation loudspeaker
Transducers	LF: 1 x 8" Tetracoil • HF: 1 x 1.4" exit compression driver / voice coil diameter 2.4"
Frequency range (-6dB)	55 Hz -20 kHz
SPL peak/1m (1)	129dB
Processing	Dedicated AUDIOFOCUS A-series SCiO and Powersoft Armonia presets
Rigging	Optional ceiling mount / vertical yoke
Connectors	2 x 4-point speakON
Nominal Impedance	8ohms
Watt AES/peak	400W / 1600W
Dimensions (H x W x D)	260mm x 495mm x 250mm • 10.2 x 19.5 x 9.8 inches
Weight	10.5kg / 23lbs
Finish	Highly resistant polyurea coating
Cabinet	Top grade birch plywood

(1) Mtone 12 dB crest factor

Rigging accessories

Horizontal bracket



Vertical bracket




Flight case

Flightcase for 2x AP108



Protective cover


AP108 Protective cover



Subwoofers

118S

High-power active compact 18" subwoofer



Ref. : 48440

S18i


High-power active compact 18" subwoofer



Ref. : 48130

C210S

Low-profile 2x10" self-powered Subwoofer



Ref. : 48321

Contact & Links

Need more information about our products ?


www.audiofocus.eu

info@audiofocus.eu

www.facebook.com/AudiofocusPage/

www.facebook.com/groups/AUDIOFOCUS/

Scan QR Code to view the ISOLDE AP108ix product's web page.



Follow Us.

